

Carbohydrate Research 293 (1996) C11-C12

Contents

Regular Papers	
4-O-Methyl-β-t-idopyranosyluronic acid linked to xylan from kraft pulp: isolation procedure and characterisation by NMR spectroscopy	
A. Teleman, M. Siika-aho, H. Sorsa, J. Buchert, M. Perttula, T. Hausalo and M. Tenkanen (Espoo,	
Finland)	1
Synthesis of dibekacin analogs containing 3-oxa- and 3-aza-2,3,4-trideoxy-t-glycero-hexopyranoue	
R. Kuwahara and T. Tsuchiya (Kawasaki, Japan)	15
α-Hydrogen elimination in some carbohydrate triflates	
A. El Nemr, T. Tsuchiya and Y. Kobayashi (Kawasaki, Japan)	31
Structural study and serological characterisation of the O-specific polysaccharide of <i>Hafnia alvei</i> PCM 1185, another <i>Hafnia</i> O-antigen that contains 3,6-dideoxy-3-{(R)-3-hydroxybutyramido}-0-glucose E. Katzenellenbogen, J. Kübler, A. Gamian, E. Romanowska (Wrocław, Poland), A.S. Shashkov,	
N.A. Kocharova, Y.A. Knirel and N.K. Kochetkov (Moscow, Russian Federation)	61
Structure of a new N-acetylisomuramic acid-containing O-specific polysaccharide of Proteus penneri strains 19 and 35	
S.N. Senchenkova, A.S. Shashkov, Y.A. Knirel, N.K. Kochetkov (Moscow, Russian Federation),	
K. Zych and Z. Sidorczyk (Lodz, Poland)	71
Formation of kinetically trapped gels in the maltodextrin-gelatin system	
S. Alevisopoulos, S. Kasapis (Bedfordshire, UK) and R. Abeysekera (Yorkshire, UK)	75
The extracellular polysaccharide of Pichia (Hansenula) holstii NRRL Y-2448: The structure of the phosphomannan backbone	
L.A.S. Parolis, J.Ø. Duus, H. Parolis, M. Meldal and K. Bock (Valby, Denmark)	101
Composition and block structure of alginates from New Zealand brown seaweeds	
R. Panikkar and D. J. Brasch (Dunedin, New Zealand)	119
Notes	
Determination of the sugar linkage position in glycosides using ammonia chemical ionization mass spectrometry at low gas pressure	
G. Reznicek and M. Mathà (Vienna, Austria)	133
A convenient synthesis of endo-H ethylidene acetals	
D. Rentsch and R. Miethchen (Rostock, Germany)	139

Announcement	CI
Information for Authors	C3
Regular Papers	
Structural characterisation of xyloglucan secreted by suspension-cultured cells of Nicotiana plumbaginifolia	
I.M. Sims, S.L.A. Munro, G. Currie (Parkville, Australia), D. Craik (St. Lucía, Australia) and A.	
Bacic (Parkville, Australia)	147
Synthesis of eight glycosides of hexasaccharide fragments representing the terminus of the O-poly- saccharide of Vibrio cholerae O:1, serotype Inaba and Ogawa, bearing aglycons suitable for linking to proteins	
Y. Ogawa, Ps. Lei and P. Kováč (Bethesda, MD, USA)	173
Calystegine B4, a novel trehalase inhibitor from Scopolia japonica	
N. Asano, A. Kato, H. Kizu, K. Matsui (Kanazawa, Japan), A.A. Watson and R.J. Nash	
(Aberystwyth, UK).	195
c,T-Dependence of the self-diffusion in concentrated aqueous solutions of methyl α - and β -D-gluco-pyranosides	
A. Heinrich-Schramm (Regensburg, Germany), C. Buttersack (Braunschweig, Germany) and HD.	
Lüdemann (Regensburg, Germany)	205
Structural studies of a neutral polysaccharide produced by Alcaligenes latus	
Y. Nohata (Mie, Japan), Ji. Azuma (Kyoto, Japan) and R. Kurane (Ibaraki, Japan)	213
Structural study of a highly O-acetylated core of Legionella pneumophila serogroup 1 lipopolysaccha-	
ride	
Y.A. Knirel (Borstel, Germany; Moscow, Russian Federation), H. Moll and U. Zähringer (Borstel,	
Germany)	223
Calcium gelation of pectic polysaccharides isolated from unripe tomato fruit	
A.J. MacDougall, P.W. Needs, N.M. Rigby and S.G. Ring (Norwich, UK)	235
Note	
Synthesis of 3-deoxy-2,4-di-O-methyl-D-erythro-pentono-1,5-lactone and of its L enantiomer by stereo-	
selective hydrogenation of α, β -unsaturated aldono-1,5-lactones	
F. Zamora and J.A. Galbis (Sevilla, Spain)	251
Structure of a surface polysaccharide from Acinetobacter baumannii O16	
S.R. Haseley, H.J. Diggle and S.G. Wilkinson (Hull, UK)	259
Author index	C5
Subject index	C7
	01
Contents	CII

